



Spartan Chassis, Inc.

1165 Reynolds Rd
Charlotte, Michigan 48813
(517) 543-6400 Fax (517) 543-7728

**Proudly Presents the
Mountain Master GT
Chassis Custom Built
for:**



Tiffin Motorhomes, Inc.

**~ 2006 42' Allegro Bus ~
With Tag**

- *New Cummins ISL 8.9 liter 400HP Electronic Diesel Engine*
- Engine Compression Brake
- Independent Front Suspension with 55 degree wheel cut
- Adjustable Pedals
- 15,000 lb. Hitch
- Bilstein Shocks
- VIP Smartwheel w/backlighting
- Wabco ABS system
- Automatic Heated Moisture Ejectors
- Includes 3 year 24 hour "Roadside Companion" program.
- 3 year/50,000 mile warranty

Chassis Weight Rating:

- GVWR 44,300 lb.
- Front GAWR 14,300 lb.
- Rear GAWR 20,000 lb.
- TAG 10,000 lb.
- GCWR 59,300 lb.

Spartan Motors, Inc. reserves the right to change the above specifications without notifications

<p><u>Engine</u></p> <ul style="list-style-type: none"> • Engine: • Peak Horsepower: • Peak Torque: 	<ul style="list-style-type: none"> • Cummins ISL 8.9liter, Electronic Turbocharged Diesel • 400 hp • 1200 lb.-ft.
<p><u>Transmission</u></p> <ul style="list-style-type: none"> • Transmission: • Ratios: 	<ul style="list-style-type: none"> • Allison 3000MH electronic six speed w/two overdrives • <u>1st</u> <u>2nd</u> <u>3rd</u> <u>4th</u> <u>5th</u> <u>6th</u> <u>REV.</u> 3.49 1.86 1.41 1.00 .75 .65 5.03
<p><u>Wheel Base</u></p> <ul style="list-style-type: none"> • Wheel Base: 	<ul style="list-style-type: none"> • 296 Inches
<p><u>Front Axle</u></p> <ul style="list-style-type: none"> • Front Axle/Suspension: • Capacity: 	<ul style="list-style-type: none"> • Tutthill Independent Front Suspension • 14,600 lb.
<p><u>Rear Axle</u></p> <ul style="list-style-type: none"> • Axle: • Capacity: • Ratio: • Tag Axle: 	<ul style="list-style-type: none"> • Meritor RS-19-145 w/ 73.47" track width, oil bath bearings and hub piloted wheel ends • 20,000 lb. • 4.88 "Quite-Gear" for RV's • 10,000 lb.
<p><u>Brakes</u></p> <ul style="list-style-type: none"> • Front and Rear Service: • Parking: • Engine Brake: • ABS Brakes: 	<ul style="list-style-type: none"> • Full air brakes w/auto slack adjusters 16.5" x 5" front, & 16.5" x 7" rear • Push/pull lever controlled • 2 Stage Engine Compression Brake • WABCO 4M/4S ABS System
<p><u>Cooling System</u></p> <ul style="list-style-type: none"> • Side mounted radiator: 	<ul style="list-style-type: none"> • 1,326 sq. in. AKG parallel air flow system with low profile radiator, charge air cooler, hydraulic oil cooler and integrated A/C condenser w/modulated hydraulically driven cooling fan.
<p><u>Electrical System</u></p> <ul style="list-style-type: none"> • Wiring System: • Alternator: • Batteries: 	<ul style="list-style-type: none"> • EuroTech 2005 modular electrical system • 160 amp. Leece-Neville alternator • (2) Harris 950 cca batteries
<p><u>Frame</u></p> <ul style="list-style-type: none"> • Frame Design: • Top Rail Size: • Bottom Size: 	<ul style="list-style-type: none"> • Raised rail • 8" x 3.5" x .25" • 9" x 3 x .25"
<p><u>Fuel Tank</u></p> <ul style="list-style-type: none"> • Capacity: 	<ul style="list-style-type: none"> • 150 gal, dual fill, side mounted sending unit
<p><u>Steering System</u></p> <ul style="list-style-type: none"> • Steering Wheel: • Steering Cramp Angle: 	<ul style="list-style-type: none"> • VIP soft touch, wood grain, leather wrapped "SmartWheel" • 55 Degrees
<p><u>Suspension</u></p> <ul style="list-style-type: none"> • Suspension System: • Shock Absorber: 	<ul style="list-style-type: none"> • Reyco 240AR Air Suspension • Bilstein front-rear
<p><u>Tires</u></p> <ul style="list-style-type: none"> • Tires: 	<ul style="list-style-type: none"> • Michelin 275/80R 22.5 XZA1
<p><u>Wheels</u></p> <ul style="list-style-type: none"> • Wheels: 	<p>(4) Accuride Aluminum & (2) Steel</p>